

L Number	Hits	Search Text	DB	Time stamp
-	356	313/272	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/04 13:49
-	295	313/272.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/04 14:26
-	244	313/574.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/04 14:30
-	5	("2306925").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/04 14:32
-	1056	313/343-345.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/04 14:46
-	3522	((fluorescent discharge (low with mercury with vapor))with (lamp bulb tube))and (electrode with coil\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/04 14:49
-	106	((fluorescent discharge (low with mercury with vapor))with (lamp bulb tube))and (electrode with coil\$3)) and (coil\$3 with triple tertiary)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/04 15:09
-	17	313/343-345.ccls. and (coil\$3 with triple tertiary)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/04 15:09
-	5	2306925.URPN.	USPAT	2003/06/04 15:13
-	5	5864209.URPN.	USPAT	2003/06/04 15:14
-	14	("2218345" "2329118" "2394474" "2479192" "3069581" "3189778" "3294125" "3725720" "3729787" "3736458" "3908251" "4277714" "4506187" "5258687").PN.	USPAT	2003/06/04 15:15
-	4	("4311942" "4647820" "4686412" "4871944").PN.	USPAT	2003/06/04 15:16
-	10	5629586.URPN.	USPAT	2003/06/04 15:16
-	6	("1668016" "2479193" "2922916" "3294125" "3736458" "3908251").PN.	USPAT	2003/06/04 15:17
-	2	4506187.URPN.	USPAT	2003/06/04 15:18
-	6	("2218345" "2306925" "2329126" "3003077" "3294125" "4316116").PN.	USPAT	2003/06/04 15:18
-	7	4499401.URPN.	USPAT	2003/06/04 15:19
-	6	("1180159" "1247068" "2142865" "2306925" "2774918" "4208609").PN.	USPAT	2003/06/04 15:19
-	8	4316116.URPN.	USPAT	2003/06/04 15:20
-	6	("2218345" "2359302" "3283197" "3725720" "4506187" "5971567").PN.	USPAT	2003/06/04 15:20
-	0	6465939.URPN.	USPAT	2003/06/04 15:21
-	0	6465939.URPN.	USPAT	2003/06/04 15:21
-	6	("2218345" "2359302" "3283197" "3725720" "4506187" "5971567").PN.	USPAT	2003/06/04 15:25
-	0	6465939.URPN.	USPAT	2003/06/04 15:26
-	2	("3780330" "4745333").PN.	USPAT	2003/06/04 15:26
-	0	5079478.URPN.	USPAT	2003/06/04 15:26
-	0	5079478.URPN.	USPAT	2003/06/04 15:26
-	1	"3729787".PN.	USPAT	2003/06/04 15:26
-	0	3822455.URPN.	USPAT	2003/06/04 15:26
-	0	3822455.URPN.	USPAT	2003/06/04 15:27
-	0	61288366.URPN.	USPAT	2003/06/04 15:27
-	0	61288366.URPN.	USPAT	2003/06/04 15:28
-	0	57049145.URPN.	USPAT	2003/06/04 15:28
-	1	2003-101817.NRAN.	DERWENT	2003/06/04 15:28
-	6	("3402466" "3287591" "2359302" "3346761" "2462837" "3484644").PN.	USPAT	2003/06/04 15:28
-	1	3792224.URPN.	USPAT	2003/06/04 15:29

-	1	"3504218".PN.	USPAT	2003/06/04 15:29
-	5	3725720.URPN.	USPAT	2003/06/04 15:29
-	9	("2218345" "2424518" "3942063" "4208609" "4316116" "4461973" "4480212" "4499401" "4547704").PN.	USPAT	2003/06/04 15:29
-	2	3003077.URPN.	USPAT	2003/06/04 15:30
-	0	61288366.URPN.	USPAT	2003/06/05 09:49
-	4	("4311942" "4647820" "4686412" "4871944").PN.	USPAT	2003/06/05 09:49
-	10	5629586.URPN.	USPAT	2003/06/05 09:52
-	2	3003077.URPN.	USPAT	2003/06/05 09:55
-	42	313/\$.ccls. and ("T8" near3 lamp)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 10:33
-	8	((313/\$.ccls. and ("T8" near3 lamp)) and ((electrode coil filament) with (lenght distance space))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 10:24
-	3532	313/\$.ccls. and ((fluorescent discharge) with (tube lamp)) and ((electrode coil filament) with (length distance separation diameter space))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 10:47
-	999	313/\$.ccls. and ((fluorescent discharge) with (tube lamp)) and ((electrode coil filament) with (length distance separation diameter space) with mm)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 10:48
-	2	((313/\$.ccls. and ((fluorescent discharge) with (tube lamp)) and ((electrode coil filament) with (length distance separation diameter space) with mm)) and @pd<20010221) and "T8"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 10:50
-	713	(313/\$.ccls. and ((fluorescent discharge) with (tube lamp)) and ((electrode coil filament) with (length distance separation diameter space) with mm)) and @pd<20010221	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 10:58
-	452	"T8" with (lamp bulb tube)	USOCR	2003/06/05 10:55
-	311	("T8" with (lamp bulb tube)) and (electrode filament coil wire)	USOCR	2003/06/05 10:52
-	59	("T8" with (lamp bulb tube)) and ((electrode filament coil wire)with (length space separation distance))	USOCR	2003/06/05 10:53
-	13	("T8" with (lamp bulb tube)) and 313/\$.ccls.	USOCR	2003/06/05 10:56
-	255	((313/\$.ccls. and ((fluorescent discharge) with (tube lamp)) and ((electrode coil filament) with (length distance separation diameter space) with mm)) and @pd<20010221) and fluorescent	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 10:59
-	16325	((discharge fluorecescent)with(lamp bulb tube)) and (diameter with (glass tube bulb))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 11:01
-	2360	((discharge fluorecescent)with(lamp bulb tube)) and (diameter with (glass tube bulb) with (inch "2.54 cm" "1 inch" "25.4 mm"))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 11:03
-	121	((discharge fluorecescent)with(lamp bulb tube)) and (diameter with (glass tube bulb) near4 ("2.54 cm" "1 inch" "25.4 mm"))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 13:20
-	106	313/318.02,572,573.ccls. and ((coil filament wire electrode)with(length))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 13:11
-	4	3526802.URPN.	USPAT	2003/06/05 13:11
-	6	("2920003" "3664862" "3740250" "3890522" "4070598" "4128674").PN.	USPAT	2003/06/05 13:11
-	8	4243909.URPN.	USPAT	2003/06/05 13:11

-	0	(3526802.URPN. (("2920003" "3664862" "3740250" "3890522" "4070598" "4128674").PN.) 4243909.URPN.) and ((coil wire electrode filament) with (distance lenght space separation))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 13:13
-	4	3526802.URPN.	USPAT	2003/06/05 13:13
-	6	("2920003" "3664862" "3740250" "3890522" "4070598" "4128674").PN.	USPAT	2003/06/05 13:14
-	6	("2920003" "3664862" "3740250" "3890522" "4070598" "4128674").PN.	USPAT	2003/06/05 13:15
-	8	4243909.URPN.	USPAT	2003/06/05 13:15
-	8	("3265917" "3993386" "4105910" "4221453" "4473770" "4495440" "4603278" "4752710").PN.	USPAT	2003/06/05 13:16
-	2	5276379.URPN.	USPAT	2003/06/05 13:18
-	10	("3392298" "4047071" "4105910" "4145634" "4268306" "4380714" "4435284" "4481442" "4715838" "4907998").PN.	USPAT	2003/06/05 13:19
-	64	((discharge fluorecescent)with(lamp bulb tube)) and (diameter with (glass tube bulb) near4 ("2.54 cm" "1 inch" "25.4 mm")) and (coil wire filament electrode) ("3780330" "4745333").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 13:31
-	2	5079478.URPN.	USPAT	2003/06/05 13:22
-	0	5079478.URPN.	USPAT	2003/06/05 13:25
-	0	5079478.URPN.	USPAT	2003/06/05 13:25
-	1	"4024423".PN.	USPAT	2003/06/05 13:25
-	2	4745333.URPN.	USPAT	2003/06/05 13:26
-	188	313/318.02 and (electrode wire filament coil)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 13:32
-	121	313/318.02 and ((electrode wire filament coil)same (length distance separation space))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 13:33
-	89	313/318.02 and ((electrode wire filament coil)with (length distance separation space))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 13:35
-	294	313/\$.ccls. and ((electrode wire filament coil)with ("10 mm" "11mm" "12 mm" "11.5 mm")) and (lamp tube bulb)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 13:44
-	215	(313/\$.ccls. and ((electrode wire filament coil)with ("10 mm" "11mm" "12 mm" "11.5 mm")) and (lamp tube bulb)) and (fluorescent (low with pressure) discharge)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 13:45
-	211	((313/\$.ccls. and ((electrode wire filament coil)with ("10 mm" "11mm" "12 mm" "11.5 mm")) and (lamp tube bulb)) and (fluorescent (low with pressure) discharge)) and @ad<20020221	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 13:45
-	4	4884007.URPN.	USPAT	2003/06/05 14:24
-	4	("2298239" "2363070" "3531687" "3848150").PN.	USPAT	2003/06/05 14:24
-	4	6049164.URPN.	USPAT	2003/06/05 14:25
-	8	("3906284" "4032813" "4032814" "4891551" "5004949" "5668448" "5686795" "5801482").PN.	USPAT	2003/06/05 14:25
-	5	5864209.URPN.	USPAT	2003/06/05 14:39